AUTHOR INDEX

1973, Volume 7

A

ABBOTT, J. A. *See* BELLHOUSE, B. J., *et al*, 490
ABELMANN, Walter H. *See* KUMAR, Raj, *et al*, 209
ABELMANN, Walter H. *See* MORALES, Dante D., *et al*, 201
ADAMS, Marsha H. *See* MARLON, Anthony M., *et al*, 290
AFONSO, Skoda, and ROWE, George G. A multi-purpose coronary cannula, 145
AHMED, S. Sultan. *See* SETHI, Virender, *et al*, 740
AL-JANABI, Nawal, GIBSON, K., ROSE, J., and ROSS, Donald N. Protein synthesis in fresh aortic and pulmonary valve allografts as an additional test for viability, 247
AL-JANABI, Nawal, and ROSS, Donald N. Enhanced viability of fresh aortic homografts stored in nutrient medium, 817
AL-JANABI, Nawal. *See* GIBSON, K., *et al*, 813
ALLEN, G. S., RAND, M. J., and STORY, D. F. Techniques for studying adrenergic transmitter release in an isolated perfused artery, 423
ALLEN, James R. *See* CHESNEY, Charles F., *et al*, 508
ANGUS, J. A. *See* RICHMOND, D. R., *et al*, 47
ARFORS, Karl-E. *See* PAVEK, Karel, *et al*, 419
AUGUSTENBORG, G. *See* NIELSEN, P. E., *et al*, 577

B

BACHE, Robert J., COBB, Frederick R., and GREENFIELD, Joseph C. Jr. Coronary and systemic haemodynamic effects of bretylium in the intact unanaesthetized dog, 755
BAGWELL, E. E. *See* WILLIAMS, E. M. Vaughan, *et al*, 226
BALLANTINE, Sandra. *See* DAVIES, M. J., *et al*, 408
BARNHORST, Donald A., MUIR, John R., WILLMAN, Vallee L., and OLSON, Robert E. Myofibrillar ATPase activity in the transplanted canine heart, 370
BASSEY, E. J., BENNETT, T., BIRMINGHAM, A. T., FENTEM, P. H., FITTON, D., and GOLDSMITH, R. Effects of surgical operation and bed rest on cardiovascular responses to exercise in hospital patients, 588
BATES, Brian L. *See* MARLON, Anthony M., *et al*, 290
BECKER, Lewis C., FERREIRA, Rafael, and THOMAS, Michael. Mapping of left ventricular blood flow with radioactive microspheres in experimental coronary artery occlusion, 391
BELL, G., NIELSEN, P. E., LASSEN, N. A., and WOLFSON, B. Indirect measurement of systolic blood pressure in lower limb using a mercury in rubber strain gauge, 282
BELL, G. *See* NIELSEN, P. E., *et al*, 577
BELLHOUSE, B. J., BELLHOUSE, F., ABBOTT, J. A., and TALBOT, L. Mechanism of valvular incompetence in aortic sinus dilatation, 490
BELLHOUSE, B. J. *See* BRECH, R., *et al*, 593
BELLHOUSE, F. *See* BELLHOUSE, B. J., *et al*, 490
BENCOSME, Sergio A. *See* BOLD, Adolfo J. de, *et al*, 351, 364
BENNETT, T. *See* BASSEY, E. J., *et al*, 588
BENZING, George, STOCKERT, James, NAVE, Ed, and KAPLAN, Samuel. Myocardial ischaemia and cardiopulmonary bypass, 186
BERSON, Guy, and SWYNGHEDAUW, Bernard. Cardiac myofibrillar ATPase and electrophoretic pattern experimental heart failure produced by a two-step mechanical overloading in the rat, 464
BEVEGÅRD, Sture. *See* KARLÖF, Ingvar, *et al*, 322
BIRMINGHAM, A. T. *See* BASSEY, E. J., *et al*, 588
BIRON, P. *See* CREXELLS, C., *et al*, 438
BITTAR, Neville. *See* PAULY, Thomas J., *et al*, 90
BLEIFELD, W., BUSSMANN, W. D., MEYER, J., and EFFERT, S. Improved cardiac assistance with an aortic arch balloon, 115
BLOOR, Colin M., WHITE, Francis C., and SOBEL, Burton E. Coronary and systemic haemodynamic effects of prostaglandins in the unanaesthetized dog, 156
BOLD, Adolfo J. de, and BENCOSME, Sergio A. Studies on the relationship between the catecholamine distribution in the atrium and the specific granules present in atrial muscle cells:
1. Isolation of a purified specific granule subfraction, 351
2. Studies on the sedimentation pattern of atrial noradrenaline and adrenaline, 364
BOS, G. C. van den, ELZINGA, G., WESTERHOF, N., and NOBLE, M. I. M. Problems in the use of indices of myocardial contractility, 834
BOURASSA, M. G. *See* CREXELLS, C., *et al*, 438
BOWDEN, N. L. R. *See* NEWMAN, D. L., *et al*, 6, 827
BRADLEY, R. D. *See* JENKINS, B. S., *et al*, 297
BRAIMBRIDGE, M. *See* DAVIES, M. J., *et al*, 408
BRANTHWAITE, M. A. *See* JENKINS, B. S., *et al*, 297
BRASSEUR, Lucien A. *See* ROUSSEAU, Michel F., *et al*, 306
BRAUNWALD, Eugene. *See* LIBBY, Peter, *et al*, 167
BRECH, R., and BELLHOUSE, B. J. Flow in branching vessels, 593
BRUTSAERT, D. L. *See* HENDERSON, A. H., *et al*, 763
BUCKBERG, Gerald, D., and ROSS, Gordon. Effects of isoprenaline on coronary blood flow: its distribution and myocardial performance, 429
BUGGE-ASPERHEIM, B., and KJIL, F. Preload, contractility, and afterload as determinants of stroke volume during elevation of aortic blood pressure in dogs, 528
BURCHART, Ruud M. de Vos. *See* HEETHAAR, Robert M., *et al*, 542
BURSTYN, P. G. *See* HORROBIN, D. F., *et al*, 585
BUSSMANN, W. D. *See* BLEIFELD, W., *et al*, 115
BUTLER, J. *See* REUBEN, S. R., *et al*, 82

C

CALVERT, M. H., and HEATON, A. G. Stroke volume measurement in animals with pacemaker control of heart rate, 719
CANT, James R. *See* CARLSON, Edwin L., *et al*, 789
CARLSON, Edwin L., CANT, James R., and SPARKS, Harvey V., Coronary blood flow of unanaesthetized dogs with experimental coronary artery disease, 789
CARSON, Valerie. *See* NAYLER, Winifred G., *et al*, 22
CHANDRARATNA, Premindra A. N., OLEKSYN, Theodore W., SCHENK, Eric A., and COHEN, Jules. Coronary embolization with metallic mercury, 614
CHESNEY, Charles F., and ALLEN, James R. Monocrotaline induced pulmonary vascular lesions in non-human primates, 508

CINGOLANI, Horacio E. *See* MARSIGLIA, Juan Carlos, *et al*, 336
CLARK, C., and SCHULTZ, D. L. Velocity distribution in aortic flow, 601
CLARKE, Howard F. *See* RENEMAN, Robert S., *et al*, 557
COBB, Frederick R. *See* BACHE, Robert J., *et al*, 755
COBBIN, L. B. *See* RICHMOND, D. R., *et al*, 47
COHEN, Jules, WHITBECK, April A., and KARCH, Fred E. Conserving effect of thyroid hormone on myocardial ATP stores *in vitro*, 196
COHEN, Jules. *See* CHANDRARATNA, Premindra A. N., *et al*, 614
COHN, Jay N. *See* LIMAS, Constantinos J., *et al*, 477, 623
COHN Peter F., KIRK, Edward S., DOWNEY, James M., SONNENBLICK, Edmund H., and GORLIN, Richard. Autoradiographic evaluation of myocardial collateral circulation in the canine heart, 181
COLEMAN, Bernell. *See* LUISADA, Aldo A., *et al*, 55
COOPER, D. K. C. *See* DEAR, M. G., *et al.*, 687
COPE, Geoffrey D., HOPKINS, Barry E., and TAYLOR, Roger R. Effect of chronic circulatory volume overload on digitalis intoxication, 638
COULSON, R. L., and RUSY, B. F. A system for assessing mechanical performance, heat production, and oxygen utilization of isolated perfused whole hearts, 859
COVELL, James W. *See* LIBBY, Peter, *et al*, 167
CREXELLS, C., BOURASSA, M. G., and BIRON, P. Effects of dopamine on myocardial metabolism in patients with ischaemic heart disease, 438
CRIE, J. Stanley. *See* WILDENTHAL, Kern, *et al*, 174
CURRY, Charles L. *See* ZEFT, Howard J., *et al*, 331

D

DARRACOTT, Sally. *See* DAVIES, M. J., *et al*, 408
DAVIES, Donald G. *See* KRASNEY, John A., *et al*, 684
DAVIES, J. *See* PICKERING, T. G., *et al*, 213
DAVIES, M. J., BALLANTINE, Sandra, DARRACOTT, Sally, and BRAIMBRIDGE, M. Nemaline bodies in the heart: anomalous Z bands with a periodic structure suggesting tropomyosin in human cardiac muscle biopsies, 408
DEAR, M. G., COOPER, D. K. C., and MURTRA, M. Electrocardiographic prediction of unmodified rejection in heterotopic canine cardiac allografts, 687
DENIER VAN DER GON, Jan J. *See* HEETHAAR, Robert M., *et al*, 105, 542
DEPASQUALE, Nicholas P. *See* SCHAFFER, Abraham I., *et al*, 696
DE QUATTRO, Vincent, NAGATSU, Toshiharu, MENDEZ, Adolfo, and VERSKA, Joseph. Determinants of cardiac noradrenaline depletion in human congestive failure, 344
DETRY, Jean-Marie R. *See* ROUSSEAU, Michel F., *et al*, 306
DHALLA, Naranjan S. *See* TOMLINSON, Charles W., *et al*, 470
DIJKEMA, F. K., and ELZINGA, G. Integrator for aortic and pulmonary artery flow signals, with automatic zero adjustment and beat-to-beat mean flow computation, 572
DILLON, T. S. *See* PALMER, J. R., *et al*, 849
DOWNEY, James M. *See* COHN, Peter F., *et al*, 181

E

EFFERT, S. *See* BLEIFELD, W., *et al*, 115
EISALO, A., KAHRI, A., KARPPINEN, K., and MANNINEN, V. Transport of ^{22}Na and ^{86}Rb tracer ions in isolated contracting heart cells exposed to lignocaine, 809
ELWOOD, P. C. *See* WAKLEY, E. J., *et al*, 679
ELZINGA, G. *See* BOS, G. C. van den, *et al*, 834
ELZINGA, G. *See* DIJKEMA, F. K., *et al*, 572
ETOH, Yasuyuki. *See* NAKAMURA, Motoomi, *et al*, 777
EVANS, Randall H., and TOBIA, Alfonso J. Electromagnetic measurement of iliac artery blood flow in the rat: on-line integration of flow, 1

F

FALICOV, Raul E., LIPP, Harry, RESNEKOV, Leon, and KING, Sheila. Haemodynamic effects of low-dose isoproterenol and aminophylline after coronary embolization in dogs, 63
FEIGEN, Larry. *See* LUISADA, Aldo A., *et al*, 55
FENTEM, P. H. *See* BASSEY, E. J., *et al*, 588
FERREIRA, Rafael. *See* BECKER, Lewis C., *et al*, 391
FEUVRAY, D. *See* LEIRIS, J. de, *et al*, 383
FITTON, D. *See* BASSEY, E. J., *et al*, 588
FLUCK, D. C., and SALTER, Cheryl. Effect of tilting on plasma catecholamine levels in man, 823
FORSYTH, Ralph P. *See* HOFFBRAND, Barry I., *et al*, 664

G

GELBAND, Henry. *See* MYERBURG, Robert J., *et al*, 69
GIBSON, K., AL-JANABI, Nawal, and ROSS, Donald N. Effect of storage on succinic dehydrogenase and acid phosphatase activity in aortic and pulmonary valve homografts, 813
GIBSON, K. *See* AL-JANABI, Nawal, *et al*, 247
GOLDSMITH, R. *See* BASSEY, E. J., *et al*, 588
GONZALEZ, Norberto C. *See* MARSIGLIA, Juan Carlos, *et al*, 336
GOODMAN, A. H. *See* RICHMOND, D. R., *et al*, 47
GORLIN, Richard. *See* COHN, Peter F., *et al*, 181
GOSLING, R. G. *See* NEWMAN, D. L., *et al*, 6
GOZNA, E. R., MARBLE, A. E., SHAW, A. J., and WINTER, D. A. Mechanical properties of the ascending thoracic aorta in man, 261
GRAYSON, J., ROBERTSON, M., and SCOTT, C. Heat clearance and heat production studies in acute experimental coronary occlusion, 220
GREENFIELD, Joseph C. Jr. *See* BACHE, Robert J., *et al*, 755
GREENFIELD, Joseph C. Jr. *See* ZEFT, Howard J., *et al*, 331
GREENSPAN, Kalman, and LORD, Thomas J. Digitalis and vagal stimulation during atrial fibrillation: effects on atrioventricular conduction and ventricular arrhythmias, 241
GRIFFIN, C. J. *See* MALOR, R., *et al*, 95

H

HAIDER, Bunyad. *See* SETHI, Virender, *et al*, 740
HAIDER, Bunyad. *See* WEISSE, A. B., *et al*, 251
HAMANAKA, Norio. *See* NAKAMAURA, Motoomi, *et al*, 777
HARRISON, Dean R. *See* WILDENTHAL, Kern, *et al*, 139
HARRISON, Donald C. *See* MARLON, Anthony M., *et al*, 290
HARRISON, Donald C. *See* ZENER, Julian, *et al.*, 748
HARRY, J. D., KAPPAGODA, C. T., LINDEN, R. J., and SNOW, H. M. Action of propranolol on the dog heart, 729
HEATH, Donald C. *See* SMITH, Paul, *et al.*, 30
HEATON, A. G. *See* CALVERT, M. H., *et al*, 719
HEETHAAR, Robert M., BURCHART, Ruud M. de Vos, DENIER VAN DER GON, Jan J., and MEIJLER, Frits L. A mathematical model of A-V conduction in rat heart. II. Quantification of concealed conduction, 542
HEETHAAR, Robert M., DENIER VAN DER GON, Jan. J., and MEIJLER, Frits L. Mathematical model of A-V conduction in the rat heart, 105
HENDERSON, A. H., and BRUTSAERT, D. L. An analysis of the mechanical capabilities of heart muscle during hypoxia, 763
HIGGINS, Charles B., PAVELEC, Richard, and VATNER, Stephen F. Modified technique for production of experimental right-sided congestive heart failure, 870

HILL, John D., LEES, Martin H., MALINOW, Manuel R., OCHSNER, A. John, and THOMAS, Carole. Regional blood flows in unanaesthetized rhesus monkeys during myocardial infarction, 375

HISTAND, Michael B., MILLER, Charles W., and MCLEOD, Francis D. Jr. Transcutaneous measurement of blood velocity profiles and flow, 703

HOFFBRAND, Barry I., FORSYTH, Ralph P., and MELMON, Kenneth L. Dose related effects of isoprenaline on the distribution of cardiac output and myocardial blood flow in conscious monkeys, 664

HOFFMAN, Brian F. *See* MYERBURG, Robert J., *et al*, 69

HOPKINS, Barry E. *See* COPE, Geoffrey D., *et al*, 638

HORROBIN, D. F., MANKU, M. S., and BURSTYN, P. G. Effect of intravenous prolactin infusion on arterial blood pressure in rabbits, 585

HUTTON, I., PARRATT, J. R., and LAWRIE, T. D. V. Cardiovascular effects of prostaglandin E_1 in experimental myocardial infarction, 149

I

ISHIHARA, Yasushi. *See* NAKAMURA, Motoomi, *et al*, 777

J

JANICKI, Joseph S. *See* WALKER, Alfred A., *et al*, 567

JENKINS, B. S., BRANTHWAITE, M. A., and BRADLEY, R. D. Cardiac function after open heart surgery, 297

JENKINS, Bess. *See* SETHI, Virender, *et al*, 740

JENZER, H. R. *See* THOMPSON, P. L., *et al*, 642

K

KAHRI, A. *See* EISALO, A., *et al*, 809

KAPLAN, Samuel. *See* BENZING, George, *et al*, 186

KAPPAGODA, C. T. *See* HARRY, J. D., *et al*, 729

KARCH, Fred E. *See* COHEN, Jules, *et al*, 196

KARLÖF, Ingvar, BEVEGÅRD, Sture, and OVENFORS, Carl-Olof. Adaptation of the left ventricle to sudden changes in heart rate in patients with artificial pace-makers, 322

KARPPINEN, K. *See* EISALO, A., *et al*, 809

KAY, J. M. *See* SMITH, Paul, *et al*, 30

KEENAN, Robert L., and RODBARD, Simon. Competition between collateral vessels, 670

KESKAR, Prabhakar Y. *See* SCHUDER, John C., *et al*, 629

KHALIQ, S. U. Protective effect of phenobarbitone against fulvine-induced hepatic damage and hypertensive pulmonary vascular disease in the rat, 655

KIIL, F. *See* BUGGE-ASPERHEIM, B., *et al*, 528

KING, D. H. *See* NEWMAN, D. L., *et al*, 6

KING, Sheila. *See* FALICOV, Raul E., *et al*, 63

KIRK, Edward S. *See* COHN, Peter F., *et al*, 181

KLEIN, Milton S., SHELL, William E., and SOBEL, Burton E. Serum creatine phosphokinase (CPK) isoenzymes after intramuscular injections, surgery, and myocardial infarction, 412

KRASNEY, John A., LEVITZKY, Michael G., and DAVIES, Donald G. Cardiovascular effects of intracisternal injections of acetazolamide, 684

KUCH, Jerzy. Autoantibodies directed against heart antigens and endocrine reactivity in patients with recent myocardial infarction, 649

KUMAR, Raj, WAGNER, Richard, and ABELMANN, Walter H. Effects of subacute experimental trypanosomal myocarditis upon right and left ventricular pressures, 209

KUROIWA, Akio. *See* NAKAMURA, Motoomi, *et al*, 777

KVASNIČKA, Jiři, LIANDER, Bo, RYDÉN, Lars, and VARNAUSKAS, Ed. A technique for trans-septal left heart catheterization with a catheter tip manometer, 723

L

LANE, D. J. *See* REUBEN, S. R., *et al*, 82

LANGMAN, M. J. S. *See* WAKLEY, E. J., *et al*, 676, 679

LASSEN, N. A. *See* BELL, G., *et al*, 282

LASSEN, N. A. *See* NIELSEN, P. E., *et a* , 577

LAWRIE, T. D. V. *See* HUTTON, I., *et al*, 149

LEDINGHAM, I. McA. *See* PARRATT, J. R., *et al*, 401

LEE, W. R., and SCOTT, Janet R. Thresholds of fibrillating leakage currents along intracardiac catheters: an experimental study, 495

LEES, Martin H. *See* HILL, John D., *et al*, 375

LEIRIS, J. de, and FEUVRAY, D. Factors affecting the release of lactate dehydrogenase from isolated rat heart after calcium and magnesium free perfusion, 383

LEVITZKY, Michael G. *See* KRASNEY, John A., *et al*, 684

LEWARTOWSKI, Bohdan. *See* SĘDEK, Grzegorz, *et al*, 313

LIANDER, Bo. *See* KVASNIČKA, Jiři, *et al*, 723

LIBBY, Peter, MAROKO, Peter R., COVELL, James W., MALLOCH Christopher I., ROSS, John Jr., and BRAUNWALD, Eugene. Effect of practolol on the extent of myocardial ischaemic injury after experimental coronary occlusion and its effects on ventricular function in the normal and ischaemic heart, 167

LIMAS, Constantinos J., and COHN, Jay N. Isolation and properties of myocardial prostaglandin synthetase, 623

LIMAS, Constantinus J., NOTARGIACOMO, A. V., and COHN, Jay N. Effect of cyclic 3′,5′-AMP on the (Na+K)-ATPase of myocardial sarcolemma, 477

LINDEN, R. J. *See* HARRY, J. D., *et al*, 729

LINDQUIST, Olle. *See* PAVEK, Karel, *et al*, 419

LINDY, Seppo. *See* TURTO, Heikki, *et al*, 482

LIPP, Harry. *See* FALICOV, Raul E., *et al*, 63

LOGIC, Joseph R. Enhancement of the vulnerability of the ventricle to fibrillation (VF) by regional hyperkalaemia 501

LOHRBAUER, L. A. *See* THOMPSON, P. L., *et al*, 642

LORD, Thomas J. *See* GREENSPAN, Kalman *et al*, 241

LOWN, B. *See* THOMPSON, P. L., *et al*, 642

LUISADA, Aldo A., MACCANON, Donald M., COLEMAN, Bernell, WATTS, Marva, and FEIGEN, Larry. The second sound in pulmonary embolism: an experimental study, 55

M

MCARDLE, C. S. *See* PARRATT, J. R., *et al*, 401

MACCANON, Donald M. *See* LUISADA, Aldo A., *et al*, 55

MCGOUGH, George A., BREAZEALE, Donald, MULLINS, Gay L., and GUNTHEROTH, Warren G. An ultrasonic displacement instrument with greater beam dispersal, 713

MCKENDRICK, C. S. *See* SMITH, Paul, *et al*, 30

MCLEAN, K. H. *See* PALMER, J. R., *et al*, 849

MCLEOD, Francis D. Jr. *See* HISTAND, Michael B., *et al*, 703

MALINOW, Manuel R. *See* HILL, John D., *et al*, 375

MALLOCH, Christopher I. *See* LIBBY, Peter *et al*, 167

MALOR, R., GRIFFIN, C. J., and TAYLOR, S. Innervation of the blood vessels in guinea-pig atria, 95

MANKU, M. S. *See* HORROBIN, D. F., *et al*, 585

MANNINEN, V. *See* EISALO, A., *et al*, 809

MARBLE, A. E. *See* GOZNA, E. R., *et al*, 261

MARCHETTI, G. V., MERLO, L., NOSEDA, V., and VISIOLI, O. Myocardial blood flow in experimental cardiac hypertrophy in dogs, 519

MARLON, Anthony M., Adams, Marsha H., BATES, Brian L., PROFITT, Cecil L., and HARRISON, Donald C. A simplified method for the *in vitro* calibration of electromagnetic flowmeters, 290

MAROKO, Peter R. *See* LIBBY, Peter, *et al*, 167

MARSIGLIA, Juan Carlos, CINGOLANI, Horacio E., and GONZALEZ, Norberto C. Relevance of beta receptor blockade to the negative inotropic effect induced by metabolic acidosis, 336
MEIJLER, Frits L. *See* HEETHAAR, Robert M., *et al*, 105, 542
MELMON, Kenneth L. *See* HOFFBRAND, Barry I., *et al*, 664
MENDEZ, Adolfo. *See* DE QUATTRO, Vincent, *et al*, 344
MERLO, L. *See* MARCHETTI, G. V., *et al*, 519
MEYER, J. *See* BLEIFELD, W., *et al*, 115
MILLER, Charles W. *See* HISTAND, Michael B., *et al*, 703
MOORE, Glynne E., and PARRATT, J. R. Effect of noradrenaline and isoprenaline on blood flow in the acutely ischaemic myocardium, 446
MORALES, Dante, D., WAGNER, Richard L., and ABELMANN, Walter H. Right and left ventricular compliance in experimental acute and subacute trypanosomal myocarditis, 201
MUIR, John R. *See* BARNHORST, Donald A., *et al*, 370
MURTRA, M. *See* DEAR, M. G., *et al*, 687
MYERBURG, Robert J., GELBAND, Henry, and HOFFMAN, Brian F. Confinement of premature impulses in functional compartments of regions of the A-V conducting system, 69

N

NAGATSU, Toshiharu. *See* DE QUATTRO, Vincent, *et al*, 344
NAKAMURA, Motoomi, ETOH, Yasuyuki, HAMANAKA, Norio, KUROIWA, Akio, TOMOIKE, Hitonobu, and ISHIHARA, Yasushi. Effects of selective coronary hypotension and nitroglycerin or Bay a 1040 on the distribution of ^{86}Rb clearance on the canine heart, 777
NARANG, R. *See* WEISSE, A. B., *et al*, 251
NAVE, Ed. *See* BENZING, George, *et al*, 186
NAYLER, Winifred G., and CARSON, Valerie. Effect of stellate ganglion stimulation on myocardial blood flow, oxygen consumption and cardiac efficiency during beta-adrenoceptor blockade, 22
NEUMANN, Flemming. *See* PAULEV, P.-E., *et al*, 277
NEWMAN, D. L., and BOWDEN, N. L. R. Effect of reflection from an unmatched junction on the abdominal aortic impedance, 827
NEWMAN, D. L., GOSLING, R. G., BOWDEN, N. L. R., and KING, D. H. Pressure amplitude increase on unmatching the aortic-iliac junction of the dog, 6
NIELSEN, P. E., BELL, G., AUGUSTENBORG, G., PAASKE-HANSEN, P., and LASSEN, N. A. Reduction in distal blood pressure by sympathetic nerve block in patients with occlusive arterial disease, 577
NIELSEN, P. E. *See* BELL, G., *et al*, 282
NOBLE, M. I. M. *See* BOS, G. C. van den, *et al*, 834
NOSEDA, V. *See* MARCHETTI, G. V., *et al*, 519
NOTARGIACOMO, A. V. *See* LIMAS, C. J., *et al*, 477

O

OCHSNER, A. John. *See* HILL, John D., *et al*, 375
OESEBURG, B. *See* VLIERS, A. C. A. P., *et al*, 133
OLDEWURTEL, Henry A. *See* SETHI, Virender, *et al*, 740
OLEKSYN, Theodore W. *See* CHANDRARATNA, Premindra A. N., *et al*, 614
OLSON, Robert E. *See* BARNHORST, Donald A., *et al*, 370
OŠŤÁDAL, B. *See* WIDIMSKÝ, J., *et al*, 798
OVENFORS, Carl-Olof. *See* KARLÖF, Ingvar, *et al*, 322

P

PAASKE-HANSEN, P. *See* NIELSEN, P. E., *et al*, 577
PALMER, J. R., MCLEAN, K. H., and DILLON, T. S. A digital computer model of the vectorcardiogram. A design permitting the simulating of abnormal conduction in the ventricles, 849
PARRATT, J. R., LEDINGHAM, I. McA., and MCARDLE, C. S. Effect of coronary vasodilator drug (carbochromen) on blood flow and oxygen extraction in acute myocardial infarction, 401
PARRATT, J. R. *See* HUTTON, I., *et al*, 149
PARRATT, J. R. *See* MOORE, Glynne E., *et al*, 446
PAULEV, P.-E., and PEDERSEN, J. F. Myocardial contraction velocity and acceleration in man measured by ultrasound echocardiography differentiation, 266
PAULEV, P.-E., PEDERSEN, Jan Fog, and NEUMANN, Flemming. Myocardial contraction velocity measured by ultrasound echocardiography-differentiation and evaluated by left ventricular pressures in pigs, 277
PAULY, Thomas, J., ZARNSTORFF, William C., and BITTAR, Neville. Myocardial metabolic activity as a determinant of reactive hyperaemia responses in the dog heart, 90
PAVEK, Karel, LINDQUIST, Olle, and ARFORS, Karl-E. Validity of thermodilution method for measurement of cardiac output in pulmonary oedema, 419
PAVELEC, Richard. *See* HIGGINS, Charles B., *et al*, 870
PEDERSEN, Jan Fog. *See* PAULEV, P.-E., *et al*, 266, 277
PELOUCH, V. *See* WIDIMSKÝ, J., *et al*, 798
PICKERING, T. G., and DAVIES, J. Estimation of the conduction time of the baroreceptor-cardiac reflex in man, 213
PROCHÁZKA, J. *See* WIDIMSKÝ, J., *et al*, 798
PROFITT, Cecil L. *See* MARLON, Anthony M., *et al*, 290

R

RACKLEY, Charles E. *See* WALKER, Alfred A., *et al*, 567
RAND, M. J. *See* ALLEN, G. S., *et al*, 423
REARSON, William C. *See* WILDENTHAL, Kern, *et al*, 139
REED, Joy P. *See* STOVIN, P. G. I., *et al*, 39
REGAN, Timothy J. *See* SETHI, Virender, *et al*, 740
REGAN, Timothy J. *See* WEISSE, A. B., *et al*, 251
REMBERT, Judith C. *See* ZEFT, Howard J., *et al*, 331
RENEMAN, Robert S., CLARKE, Howard F., SIMMONS, Norman, and SPENCER, Merrill P. *In vivo* comparison of electromagnetic and Doppler flowmeters: with special attention to the processing of the analogue Doppler flow signal, 557
RESNEKOV, Leon. *See* FALICOV, Raul E., *et al*, 63
RESSL, J. *See* WIDIMSKÝ, J., *et al*, 798
REUBEN, S. R., WRIGLEY, P. F. M., LANE, D. J., and BUTLER, J. Pulmonary capillary blood flow studies in polycythaemia rubra vera, 82
RICHMOND, D. R., ANGUS, J. A., GOODMAN, A. H., and COBBIN, L. B. Actions of bretylium tosylate on the cardiovascular system of the dog, 47
ROBERTSON, M. *See* GRAYSON, J., *et al*, 220
RODBARD, Simon. *See* KEENAN, Robert L., *et al*, 670
ROSE, J. *See* AL-JANABI, Nawal, *et al*, 247
ROSS, Donald N. *See* AL-JANABI, Nawal, *et al*, 247, 817
ROSS, Donald N. *See* GIBSON, K., *et al*, 813
ROSS, Gordon. *See* BUCKBERG, Gerald D., *et al*, 429
ROSS, John Jr., *See* LIBBY, Peter, *et al*, 167
ROUSSEAU, Michel F., BRASSEUR, Lucien A., and DETRY, Jean-Marie R. Haemodynamic and electrocardiographic effects of practolol during upright exercise in coronary heart disease, 306
ROWE, George G. *See* AFONSO, Skoda, *et al*, 145
RUSSELL, Richard O. Jr. *See* WALKER, Alfred A., *et al*. 567
RUSY, B. F. *See* COULSON, R. L., *et al*, 859
RYDÉN, Lars. *See* KVASNIČKA, Jiří, *et al*, 723

S

SALTER, Cheryl. *See* FLUCK, D. C., *et al*, 823
SCHAFFER, Abraham I., and DEPASQUALE, Nicholas P. Mechanism of Wenckebach A-V block and the obligatory ventricular echo, 696

SCHENK, Eric A. *See* CHANDRARATNA, Premindra A. N., *et al*, 614
SCHUDER, John C., STOECKLE, Harry, WEST, Joe A., and KESKAR, Prabhakar Y. Relationship between electrode geometry and effectiveness of ventricular defibrillation in the dog with catheter having one electrode in right ventricle and other electrode in superior vena cava, or external jugular vein, or both, 629
SCHULTZ, D. L. *See* CLARK, C., *et al*, 601
SCOTT, C. *See* GRAYSON, J., *et al*, 220
SCOTT, Janet R. *See* LEE, W. R., *et al*, 495
SĘDEK, Grzegorz, and LEWARTOWSKI, Bohdan. Mechanism of changes in left ventricular function after acute experimental coronary occlusion, 313
SERUR, Juan R., and URSCHEL, Charles W. Attenuation of inotropic interventions by myocardial ischaemia, 458
SETHI, Virender, HAIDER, Bunyad, AHMED, S. Sultan, OLDEWURTEL, Henry A., REGAN, Timothy J., and JENKINS, Bess. Influence of beta blockade and chemical sympathectomy on myocardial function and arrhythmias in acute ischaemia, 740
SHAW, A. J. *See* GOZNA, E. R., *et al*, 261
SHELL, William E. *See* KLEIN, Milton S., *et al*, 412
SIMMONS, Norman. *See* RENEMAN, Robert S., *et al*, 557
SINGH, B. N. *See* WILLIAMS, E. M. Vaughan, *et al*, 226
SMITH, Paul, HEATH, Donald, KAY, J. M., WRIGHT, J. S., and MCKENDRICK, C. S. Pulmonary arterial pressure and structure in the patas monkey after prolonged administration of aminorex fumarate, 30
SNOW, H. M. *See* HARRY, J. D., *et al*, 729
SOBEL, Burton E. *See* BLOOR, Colin M., *et al*, 156
SOBEL, Burton E. *See* KLEIN, Milton S., *et al*, 412
SONNENBLICK, Edmund H. *See* COHN, Peter F., *et al*, 181
SPARKS, Harvey V. *See* CARLSON, Edwin L., *et al*, 789
SPENCER, Merrill P. *See* RENEMAN, Robert S., *et al*, 557
STOCKERT, James. *See* BENZING, George, *et al*, 186
STOECKLE, Harry. *See* SCHUDER, John C., *et al*, 629
STORY, D. F. *See* ALLEN, G. S., *et al*, 423
STOVIN, P. G. I., and REED, Joy P. Morphometric and histochemical investigation on human right atrial and mitral papillary muscle, 39
SWYNGHEDAUW, Bernard. *See* BERSON, Guy, *et al*, 464

T

TALBOT, L. *See* BELLHOUSE, B. J., *et al*, 490
TAYLOR, D. E. M., and WADE, J. D. Pattern of blood flow within the heart: a stable system, 14
TAYLOR, Roger R. *See* COPE, Geoffrey D., *et al*, 638
TAYLOR, S. *See* MALOR, R., *et al*, 95
TEMPLETON, Gordon H. *See* WILDENTHAL, Kern, *et al*, 139
THOMAS, Carole. *See* HILL, John D., *et al*, 375
THOMAS, Michael. *See* BECKER, Lewis C., *et al*, 391
THOMPSON, P. L., JENZER, H. R., LOWN, B., and LOHRBAUER, L. A. Exercise during acute myocardial infarction: an experimental study, 642
TOBIA, Alfonso J. *See* EVANS, Randall H., *et al*, 1
TOMLINSON, Charles W., and DHALLA, Naranjan S. Excitation-contraction coupling in heart: IX. Changes in the intracellular stores of calcium in failing hearts due to lack of substrate and oxygen, 470
TOMOIKE, Hitonobu. *See* NAKAMURA, Motoomi, *et al*, 777
TURTO, Heikki, and LINDY, Seppo. Digitoxin treatment and experimental cardiac hypertrophy in the rat, 482

U

URBANOVÁ, D. *See* WIDIMSKÝ, J., *et al*, 798
URSCHEL, Charles W. *See* SERUR, Juan R., *et al*, 458

V

VARNAUSKAS, Ed. *See* KVASNIČKA, Jiří, *et al*, 723
VASTAGH, George F. *See* WILDENTHAL, Kern, *et al*, 174
VATNER, Stephen, F. *See* HIGGINS, Charles B., *et al*, 870
VERSKA, Joseph. *See* DE QUATTRO, Vincent, *et al*, 344
VISIOLI, O. *See* MARCHETTI, G. V., *et al*, 519
VISSER, K. R. *See* VLIERS, A. C. A. P., *et al*, 125, 133
VLIERS, A. C. A. P., OESEBURG, B., VISSER, K. R., and ZIJLSTRA, W. G. Choice of detection site for the determination of cardiac output by thermal dilution: the injection-themistor-catheter, 133
VLIERS, A. C. A. P., VISSER, K. R., and ZIJLSTRA, W. G. Analysis of indicator distribution in the determination of cardiac ouput by thermal dilution, 125

W

WADE, J. D. *See* TAYLOR, D. E. M., *et al*, 14
WAGNER, Richard. *See* KUMAR, Raj, *et al*, 209
WAGNER, Richard L. *See* MORALES, Dante D., *et al*, 201
WAKLEY, E. J., and LANGMAN, M. J. S. Blood groups and plasma cholesterol esterification, 676
WAKLEY, E. J., LANGMAN, M. J. S., and ELWOOD, P. C. Blood group A sub-groups and serum cholesterol, 679
WALKER, Alfred A., JANICKI, Joseph S., WEBER, Karl T., RUSSELL, Richard O. Jr., and RACKLEY, Charles E. Equations for the calculation of mean ejection pressure, 567
WATTS, Marva. *See* LUISADA, Aldo A., *et al*, 55
WEBER, Karl T. *See* WALKER, Alfred A., *et al*, 567
WEISSE, A. B., NARANG, R., HAIDER, B., and REGAN, T. J. Right and left heart pressures in acute myocardial infarction, 251
WEST, Joe A. *See* SCHUDER, John C., *et al*, 629
WESTERHOF, N. *See* BOS, G. C. van den, *et al*, 834.
WHITBECK, April A. *See* COHEN, Jules, *et al*, 196
WHITE, Francis C. *See* BLOOR, Colin M., *et al*, 156
WIDIMSKÝ, J., URBANOVÁ, D., RESSL, J., OŠŤÁDAL, B., PELOUCH, V., and PROCHÁZKA, J. Effect of intermittent altitude hypoxia on the myocardium and lesser circulation in the rat, 798
WILDENTHAL, Kern, CRIE, J. Stanley, and VASTAGH, George F. Cardiovascular function and survival during severe systemic hypoxaemia: influence of glucose-potassium-insulin solution and of beta-blockade, 174
WILDENTHAL, Kern, HARRISON, Dean R., TEMPLETON, Gordon H., and REARDON, William C. Method for measuring the contractions of small hearts in organ culture, 139
WILLIAMS, E. M. Vaughan, BAGWELL, E. E., and SINGH, B. N. Cardiospecificity of β-receptor blockade, 226
WILLMAN, Vallee L. *See* BARNHORST, Donald A., *et al*, 370
WINTER, D. A. *See* GOZNA, E. R., *et al*, 261
WOLFSON, B. *See* BELL, G., *et al*, 282
WRIGHT, J. S. *See* SMITH, Paul, *et al*, 30
WRIGLEY, P. F. M. *See* REUBEN, S. R., *et al*, 82

Z

ZARNSTORFF, William C. *See* PAULY, Thomas, J., *et al*, 90
ZEFT, Howard J., REMBERT, Judith C., CURRY, Charles L., and GREENFIELD, Joseph C. Jr. Effects of diphenylhydantoin on coronary and systemic haemodynamics in awake dogs, 331
ZENER, Julian, and HARRISON, Donald C. Circulatory actions of phentolamine before and after autonomic blockade, 748
ZIJLSTRA, W. G. *See* VLIERS, A. C. A. P., *et al*, 125, 133

SUBJECT INDEX

1973, Volume 7

A

Acetazolamide, intracisternal and intravenous, systemic haemodynamic responses to, in dog, 685
Acetylstrophanthidin, cardiac responses to, and effect of aortocaval fistula on, in dog, 639
—, response of heart rate to, and effect of digitalis on, in dog, 244
Acid phosphatase, in granules of rat atrial preparations, 359
— — activity, in aortic and pulmonary valve homografts, effect of storage on, in man, 814
Acidosis, acute metabolic, response of ventricular function to, in dog, 337
—, — —, effect of propranolol on, 338
Action potentials, frog sciatic nerve preparations, response to procaine and para-oxprenolol, 230
Adenosine monophosphate, cyclic, response of ATPase activity of dog heart fractions to, 479
— triphosphatase activity, dog heart fractions, response to cyclic AMP, 479
— — —, dog heart fractions, response to ouabain, 478
— — —, myofibrillar, response to cardiac denervation and homotransplantation, in dog, 371
— — —, myofibrillar calcium, response to experimental heart failure, in rat, 466
— triphosphate, uptake by isolated hypoxic rat atria, and effect of thyroxine on, 198
Adrenaline, blood and urine, in myocardial infarction, in man, 651
—, distribution in rat atrial preparations, 365
—, plasma, effect of tilting on, in man, 823
—, response of ATPase activity of dog heart fractions to, 479
Aldolase activity, of right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
Allyamine and egg yolk, haemodynamic responses to, in dog, 792
Aminophylline, effect on haemodynamic responses to experimental coronary embolism, in dog, 65
Aminorex, haemodynamic and body weight responses to, and necropsy findings, in monkey, 32
Angiography, use in measurement of thoracic aortic blood pressure, and comparison with strain gauge measurement, in man, 263
Antibodies, anti-heart, in myocardial infarction, in man, 650
Aorta, abdominal, ligation of, response of heart DNA and RNA to, and effect of digitoxin on, 485
—, —, — —, response of heart proteins to, and effect of digitoxin on, 486
—, —, — —, response of heart weight and water content to, and effect of digitoxin on, in rat, 483
—, blood flow in, velocity distribution in, in dog, 605, 608, 610–611
—, descending, constriction of, responses to, in dog, 431
—, effect of aminorex on, 34
—, junction with iliac artery, blood flow and pressure in, effect of occlusion on, in dog, 828
—, — — — —, response to occlusion of aortic central branch, 8
—, model of, response of valvular function to variations in length of sinus, and to distension of the root, 492
Aortic arch balloon, haemodynamic responses to pulsation of, in dog, 117
— valve allografts, uptake of proline by, 249
— — homografts, acid phosphatase and succinic dehydrogenase activity in, effect of storage on, in man, 814
— — —, viability of, effect of storage on, in man, 818
Aortocaval fistula, effect on cardiac responses to acetylstrophanthidin, in dog, 639
Aromatics, effect on prostaglandin synthetase, in microsomal fraction of dog heart, 624
Arteries, transcutaneous measurement of diameter of, in dog, 707
— and arterioles, guinea pig atrium, innervation of, 96
Arterioles, encapsulated, guinea pig atrium, innervation of, 100
Artery, coronary, anatomical effects of catheterization, experimental coronary artery disease and cholesterol/thiouracil diet on, 795
—, —, experimental disease of, effect on coronary blood flow in dog, 792
—, —, left circumflex, ligation of, haemodynamic responses to, in dog, 779
—, —, — —, — —, response of regional myocardial rubidium clearance to, 780
—, —, ligation of, cardiovascular responses to, in dog, 393
—, —, — —, effect on haemodynamic responses to prostaglandin E_1, in cat, 152
—, —, — —, haemodynamic responses to, in cat, 448
—, —, — —, response of heart and body temperature to, in dog, 222
—, —, — —, responses to, and effect of carbochromen on, in dog, 403, 404
—, —, mercury embolization of, haemodynamic responses to, in dog, 616
—, — multi-purpose cannula for, 145
—, —, occlusion of, cardiac responses to, and effect of exercise on, in dog, 644
—, —, — —, electrocardiographic and haemodynamic responses to, in monkey, 376, 378
—, —, — —, left ventricular responses to, in dog, 315
—, —, — —, — — — —, effect of reserpine and propranolol on, 318
—, —, — —, responses to, effect of practolol on, in dog, 168
—, iliac, blood flow in, in rat, 2
—, —, — — —, response to vasoactive agents, 3
—, —, junction with aorta, blood flow and pressure in, effect of occlusion on, in dog, 828
—, —, — — —, response to occlusion of aortic central branch, 8
—, pulmonary, blood flow and pulses in, response to experimental pulmonary embolism, in dog, 57
—, —, blood pressure in, relationship to left ventricular blood pressure, effect of experimental myocardial infarction on, in dog, 255
—, —, effect of aminorex on, 34
—, —, histology of, effect of hypoxia on, in rat, 800
—, —, occlusion of, production of right-sided congestive heart failure by, in dog, 872
—, rabbit ear isolated perfused, release of noradrenaline from, and effect of electrical stimulation on, 425

Atrioventricular block, Wenckebach, mechanism of, 696
— conducting system, local refractory periods of, and response to premature stimulation, 71
— — —, — — — —, effect of abnormal false tendons on, 73
— conduction, in rat isolated perfused heart, response to electrical stimulation, 106, 108, 110
— —, — — — — —, response to long and short stimulation intervals, mathematical model of, 543
— —, influence of atrial extrasystole, and of alternate short and long stimulation intervals on, 547
— —, mathematical model of, 107
— —, — — —, testing against random stimulation of isolated perfused rat heart heart preparations, 108
— —, response to vagal stimulation, and effect of digitalis on, in dog, 244
Atrium, guinea pig, innervation of capillaries of, 97
—, — —, innervation of arteries and arterioles of, 96
—, rabbit, isolated, intracellular potentials of, effect of para-oxprenolol on, 231
—, rat isolated, catecholamine distribution in, 365
—,— —, histochemistry of, and granules in, 356
—, — — hypoxic, uptake of adenosine triphosphate by, and effect of thyroxine on, 198
—, — — —, uptake of leucine by, and effect of thyroxine on, 197
Atropine, haemodynamic responses to, effect of phentolamine on, in dog, 749, 751
—, intramuscular, effect on serum CPK isoenzymes, in dog, 416
Autonomic blockade, effect on haemodynamic response to bretylium, in dog, 48
— —, haemodynamic responses to, effect of phentolamine on, in dog, 749, 751
— —, induction by phentolamine, propranolol and atropine, evaluation of, 51
— —, influence on effect of ventricular expansion on haemodynamic responses to elevation of aortic blood pressure, in dog, 535

B

Balloon, intra-aortic, haemodynamic responses to pulsation of, in dog, 117
Baroflex conduction time, relationship to heart rate, in man, 217
Bay a 1040. *See* Nifedipine
Blood, catecholamines and protein-bound iodine in, in myocardial infarction, in man, 650
— and serum, responses to monocrotaline, in monkey, 509, 510
— biochemistry, effect of hypoxia on, in rat, 799
— flow, aortic, velocity distribution in, in dog, 605, 608, 610–611
— —, aortic and pulmonary artery, integrator for signals from, 572
— —, in branching vessels, derivation from models, 599
— —, coronary, relationship to myocardial oxygen consumption, effect of prostaglandins on, 164
— —, —, response to changes in perfusion pressure, in isolated perfused dog heart, 460
— —, —, response to cholesterol and thiouracil, and to experimental coronary artery disease, in dog, 792
— —, coronary, response to constriction of descending aorta, in dog, 431
— —, —, response to isoprenaline, and effect of aortic constriction on, 432, 435
— —, —, response to prostaglandins, in dog, 160, 163
— —, —, response to right stellate ganglion stimulation, and effect of β-adrenoceptor blockade on, in dog, 24
— —, — and myocardial, response to experimental cardiac hypertrophy, in dog, 521
Blood flow, in dog heart preparations, response to heart rate variations, 91
— —, heart, pattern of, cinephotographic study of, 16
— —, iliac arterial, in rat, 2
— —, — —, response to vasoactive agents, 3
— —, left ventricular, mapping by radioactive microspheres, response to experimental myocardial ischaemia, in dog, 393, 394
— —, maximum acceleration from left ventricle, as index of contractility, 845, 846
— —, measurement by electromagnetic flowmeter, during pacemaker heart rate control, in dog, 721
— —, — — — and Doppler flowmeters, and effect of isoprenaline and reactive hyperaemia on, in dog, 562
— —, measurement by zero-crossing flowmeter, and effect of band-pass filter and differentiator on, 561, 562
— —, myocardial, autoradiography of, in dog, 182
— —, —, effect of acute coronary ligation on, 223
— —, —, force-velocity relationships in, as index of contractility, 843, 846
— —, —, response to selective coronary hypotension, nitroglycerin and nifedipine, in dog, 780, 781, 782, 784
— —, peripheral, response to isoprenaline, and effect of oxprenolol and para-oxprenolol on, in dog, 232
— —, —, response to isoprenaline, effect of propranolol on, 234
— —, pulmonary, and effect of venesection on, in chronic polycythaemic patients, 85
— —, pulmonary arterial, response to experimental pulmonary embolism, in dog, 57
— —, regional distribution of, response to experimental myocardial infarction, 378
— —, response to heart-lung bypass, effect of experimental myocardial ischaemia on, in dog, 189
— —, response to isoproterenol and propranolol, measurement by electromagnetic flowmeter, and comparison with dye dilution measurement, in dog, 293
— — and pressure, aortic/iliac junction, effect of occlusion on, in dog, 828
— — — —, arterial, response to diphenylhydantoin, in conscious dog, 332
— — — —, response to acetazolamide, and effect of route of administration on, in dog, 685
— — — —, response to bretylium, in dog, 756
— — — —, — — —, and effect of isoprenaline and autonomic blockade on, in dog, 49
— — — —, response to coronary artery ligation, in cat, 448
— — — —, response to experimental myocardial infarction, in monkey, 377
— — — —, — — — — —, and effect of carbochromen on, in dog, 403, 404
— — — —, response to experimental myocardial ischaemia, in dog, 393
— — — —, response to isoprenaline, and effect of dosage on, in conscious monkey, 665
— — — —, response to prostaglandin E_1, and effects of experimental myocardial infarction on, in cat 152
— — — —, response to reserpine, effect of bretylium on, 758
— — and velocity, transcutaneous measurement of, in dog, 706
— groups, correlation with plasma and cholesterol levels, in man, 677
— —, correlation with serum cholesterol levels, 680
— oxygen, coronary, response to dopamine, in ischaemic heart disease patients, 441
— plasma, catecholamines in, effect of tilting on, in man, 823
— — and cholesterol in ABO and Lewis blood groups, in man, 677
— pressure, aortic, elevation of, haemodynamic responses to, and effect of isoproterenol on, in dog, 532

Blood pressure, aortic, elevation of, haemodynamic responses to, effect of myocardial contractility and ventricular expansion on, 534
— —, —, response to acute metabolic acidosis, and effect of propranolol on, 338
— —, —, response to denervation, and effect of isoprenaline and propranolol on, in dog, 731
— —, aortic and coronary, response to selective coronary hypotension, nitroglycerin and nifedipine, in dog, 779
— —, aortic and pulmonary arterial, response to practolol, and effect of upright exercise on, in heart disease patients, 308
— —, aortic and systemic, response to pacemaker-induced changes of heart rate, in man, 324
— —, aortic/iliac junction and abdominal aortic, response to occlusion of aortic central branch, 8
— —, arterial, response to prolactin, in rabbit, 586
— —, big toe, response to sympathetic blockade, in occlusive arterial disease, in man, 578
— —, heart, effect of hypoxia on, in rat, 800
— —, left ventricular, effect of acute coronary occlusion on, in dog, 315
— —, — —, maximum rate of increase of, as index of contractility, 838, 846
— —, — —, response to denervation, effect of propranolol and of cocaine on, 733
— —, mean ejection, equations for calculating, 568
— —, pulmonary arterial, effect of heart disease on, in man, 347
— —, — —, relationship to left ventricular blood pressure, effect of experimental myocardial infarction on, 255
— —, response to aminorex, in monkey, 32
— —, response to autonomic and ganglionic blockade, and effect of phentolamine on, in dog, 749
— —, response to changes in perfusion pressure, in isolated perfused dog heart, 459
— —, response to constriction of descending aorta, in dog, 431
— —, response to dopamine, in ischaemic heart disease patients, 440
— —, response to exercise, and effect of phenylephrine on, in man, 214
— —, — — —, after menisectomy, in man, 591
— —, response to experimental coronary embolism, effect of isoproterenol and aminophylline on, in dog, 65
— —, response to experimental hypoxia, and effect of glucose-potassium-insulin solution on, in dog, 175
— —, response to ischaemia, practolol and 6-hydroxydopamine, in dog, 741
— —, response to isoprenaline, 432, 435
— —, — — —, and effect on responses to coronary artery ligation, 452
— —, response to mercury embolization of coronary artery, in dog, 616
— —, response to noradrenaline, and effect of coronary artery ligation on, 450
— —, response to paired ventricular pacing, in isolated perfused dog heart, 460
— —, response to reserpine, effect of propranolol on, and relationship to effect of denervation, 735
— —, right and left atrial, arterial and pulmonary, response to open heart surgery, and effect of isoprenaline on, in man, 298, 301
— —, right atrial and left ventricular, response to experimental myocardial infarction, in dog, 253
— —, systolic, thigh and calf, measurement by strain gauge, in man, 283
— —, —, thigh-calf and calf-toe gradients, 286
— —, —, toe, measurement by strain gauge, in man, 284
— —, thoracic aortic, measurement by cineangiography, and comparison with strain gauge measurement, in man, 263
Blood pressure, ventricular, response to trypanosomal myocarditis, in mouse, 205, 210
— serum cholesterol in ABO and Lewis blood groups, 680
— — enzymes, response to mercury embolization of coronary artery, in dog, 616
— sugar, response to dopamine, in ischaemic heart disease patients, 442
—-tissue partition coefficient, relationship between heart and blood, and effect of experimental coronary artery disease on, in dog, 793
— velocity, variations in different arteries, 707
— vessels, collateral, competition between, 670
Bretylium, effect on haemodynamic responses to reserpine, 758
—, haemodynamic responses to, in dog, 756
—, — — —, and effect of isoprenaline and autonomic blockade on, in dog, 48
—, — — —, effects of reserpine and of intramuscular route on, 52
Bundle branch block, bilateral, simulation by computer model of vectorcardiogram, 855
Bypass, heart-lung, cardiovascular responses to, effect of experimental myocardial ischaemia on, in dog, 189

C

Calcium, intracellular, in isolated rat heart preparations, relationship to contractile response to oxygen substrate-free perfusion, 471
—, —, — — — — —, response to hypoxic perfusion, 472
— chloride, response of ATPase activity of dog heart fractions to, 479
— -free perfusion, effect on lactate-dehydrogenase release from isolated rat heart preparations, 385, 386
— sensitivity factor, electrophoretic mobility of, response to experimental heart failure, in rat, 467
Calf (limb), systolic blood pressure in, measurement by strain gauge, in man, 283
Calorimeter efficiency, for measurement of heat production by isolated whole heart, 862
Cannula, coronary, multi-purpose, 145
Capillaries, of guinea pig atrium, innervation of, 97
Carbochromen, effect on responses to experimental myocardial infarction and on blood flow and pressure and heart rate, in dog, 403, 404
Carbon dioxide, coronary vein and sinus, response to experimental myocardial infarction, and effect of carbochromen on, in dog, 403
Cardiac efficiency, response to right stellate ganglion stimulation, and effect of β-adrenoceptor blockade on, in dog, 24
— output, response to acetazolamide, and effect of route of administration on, in dog, 685
— —, response to autonomic and ganglionic blockade, and effect of phentolamine on, in dog, 749
— —, response to bretylium, in dog, 756
— —, response to constriction of descending aorta, in dog, 431
— —, response to coronary artery ligation, in cat, 448
— —, response to dopamine, in ischaemic heart disease patients, 441
— —, response to experimental coronary embolism, effect of isoproterenol and aminophylline on, in dog, 65
— —, response to experimental myocardial infarction, in monkey, 377
— —, response to heart-lung bypass, effect of experimental myocardial ischaemia on, in dog, 189
— —, response to isoprenaline, and effect of aortic constriction on, 432, 435
— —, — — —, and effect of dosage on, in conscious monkey, 665

Cardiac output, response to isoprenaline, and effect on responses to coronary artery ligation, 452
— —, response to mercury embolization of coronary artery, in dog, 616
— —, response to noradrenaline, and effect of coronary artery ligation on, 450
— —, response to open heart surgery, and effect of isoprenaline on, in man, 302
— —, response to practolol, and effect of upright exercise on, in heart disease patients, 308
— —, response to prostaglandin E_1, and effects of experimental myocardial infarction on, in cat, 152
— —, response to prostaglandins, in dog, 160, 163
— —, response to reserpine, effect of bretylium on, 758
— —, thermodilution measurement of, 125
— —, — — —, in pulmonary oedema, reliablity, of, 419
— —, — — —, choice of site for, 133, 134
Cardiovascular responses, to experimental hypoxia, and effect of glucose-potassium-insulin solution on, in dog, 175
— —, to isoprenaline, and effect of oxprenolol and paraoxprenolol on, in dog, 232
— —, — —, effect of practolol and *o*-practolol on, 232
— —, to right stellate ganglion stimulation, and effect of β-adrenoceptor blockade on, in dog, 24
— —, to trypanosomal myocarditis, in mouse, 205, 210
Catecholamine depletion, effect on blood pressure and heart rate, in dog, 733
— —, induction by chemical cardiac sympathectomy, in dog, 743
— —, reserpine-induced, test for efficacy of, and effect on responses to isoprenaline and propranolol, 734
Catecholamines, blood and urine, in myocardial infarction, in man, 651
—, distribution in rat atrial preparations, 365
—, in granules of rat atrial preparations, 366
—, plasma, effect of tilting on, in man, 823
Catechol-*o*-methyl transferase, effect of heart disease on, in man, 347
Catheterization, left ventricular, technique for, 724
Chagas's disease. *See* Myocarditis, trypanosomal
Chlorpromazine, intramuscular, effect on serum CPK isoenzymes, in dog and man, 416
Cholesterol, blood and plasma, in ABO and Lewis groups, in man, 677, 680
—, haemodynamic responses to, in dog, 792
—, serum, in ABO and Lewis blood groups, in man, 680
Cineangiography, use in measurement of thoracic aortic blood pressure, and comparison with strain gauge measurement, in man, 263
Cocaine, effect on response of blood pressure and heart rate to denervation, in dog, 733
Collagen, myofibrillar, response to experimental heart failure, in rat, 467
Computer model of vectorcardiogram, in simulating abnormal conduction in ventricles, 849
Conduction, atrioventricular, concealed, 550
—, —, in rat isolated perfused heart, response to electrical stimulation, 106, 108, 110
—, —, — — — — —, response to long and short stimulation intervals, mathematical model of, 543
—, —, influence of atrial extrasystole, and of alternate short and long stimulation intervals on, 547
—, —, mathematical model of, 107
Contractility, cat isolated papillary muscle, response to hypoxia, 767, 770
—, contractile element force-velocity relationships as index of, 843, 846
—, myocardial, effect on haemodynamic responses to elevation of aortic blood pressure, 534
—, —, maximum rate of increase of left ventricular blood pressure as index of, 838, 846
Contractility, myocardial, response to acute metabolic acidosis, and effect of propranolol on, 338
—, —, response to constriction of descending aorta, in dog, 431
—, —, response to isoprenaline, and effect of aortic constriction on, 432, 435
—, —, response to perfusion pressure, in isolated perfused dog heart, 462
—, rat isolated heart, response to hypoxia, 472
—, — — —, response to oxygen substrate-free perfusion, and relationship to intracellular calcium, 471
Contractions, foetal mouse heart, method for measuring, 141
—, myocardial, measurement by ultrasound echocardiography, and effect of exercise on, in man, 269
Creatine phosphokinase isoenzymes, in blood serum, effect of acute myocardial infarction, thoracotomy and intramuscular injections, in dog, and man, 416
— — —, in skeletal and heart muscle, and in brain, in dog, 414
— — —, — — — — —, — — —, in man, 415
Cytochrome c oxidase, in granules of rat atrial preparations, 359

D

DNA, heart, response to abdominal ligation, and effect of digitoxin on, in rat, 485
Defibrillation, ventricular, effect of electrode positions on effectiveness of, in dog, 631
Denervation, cardiac, effect on myofibrillar ATPase activity, in dog, 371
—, response of blood pressure and heart rate to, and effect of isoprenaline and propranolol on, in dog, 731
Diazepam, intramuscular, effect on serum CPK isoenzymes, in dog and man, 416
Digitalis, effect on response of heart rate and atrioventricular conduction to acetyl strophanthidin and vagal stimulation, in dog, 244
Digitoxin, effect on response of heart DNA and RNA to abdominal aortic ligation, 485
—, effect on response of heart proteins to abdominal aortic ligation, 486
—, effect on response of heart weight and water content to abdominal aortic ligation, in rat, 483
Diphenylhydantoin, haemodynamic responses to, in conscious dog, 332
—, — — —, effect of propranolol on, 334
Dipyridamol, effect on haemodynamic responses to experimental cardiac hypertrophy, in dog, 524
Displacement, cardiovascular, ultrasonic measurement of, 713
— probe for measuring contraction of foetal mouse heart, 141
Dopamine, haemodynamic responses to, in ischaemic heart disease patients, 440
—, metabolic responses to, in ischaemic heart disease patients, 441
Doppler flowmeter measurement of blood flow, effect of isoprenaline and reactive hyperaemia on, 562

E

Echocardiography, ultrasound, in measurement of myocardial contractions, in man, 269
—, —, in measurement of myocardial contractions, in pig, 278
Electric currents, intracardiac leakage, fibrillation threshold of, and effect of metabolic acidosis on, 498
Electrical stimulation, long and short interval, atrioventricular conduction response to, in rat isolated perfused heart, mathematical model of, 543
Electrocardiogram, epicardial, response to experimental myocardial ischaemia, in dog, 395

Electrocardiogram, response to heterotopic heart transplants, in dog, 688
—, response to selective coronary hypotension, nitroglycerin and nifedipine, in dog, 779
—, response to Wenckebach atrioventricular block, 697
—, simulation of bilateral bundle branch block and myocardial infarction patterns by computer model of, 855
Electrode positions, influence on effectiveness of ventricular defibrillation, in dog, 631
Electromagnetic flowmeter, *in vitro* calibration of, 291
— measurement of iliac arterial blood flow, in rat, 2
Embolism, coronary, experimental, haemodynamic responses to, in dog, 64
—, —, —, — — —, effect of isoproterenol and aminophylline on, 65
—, —, —, second heart sound in, in dog, 56
Enzyme activity, of right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
Enzymes, blood serum, response to mercury embolization of coronary artery, in dog, 616
—, in granules of rat atrial preparations, 359
Exercise, effect on cardiac responses to experimental myocardial infarction, in dog, 644
—, effect on myocardial contractions, in man, 270, 272
—, haemodynamic responses to, after menisectomy, in man, 589
—, response of blood pressure to, and effect of phenylephrine on, in man, 214
—, upright, effect on haemodynamic responses to practolol, in heart disease patients, 308

F

Fibrillation threshold, response to electrical shock via intraventricular catheter, and effect of metabolic acidosis on, in dog, 498
Flowmeter, electromagnetic, in measurement of aortic and pulmonary artery blood flow, integrator for signals of, 572
—, —, *in vitro* calibration of, 291
—, —, measurement of stroke volume by, during pacemaker heart rate control, in dog, 721
—, — and Doppler, in blood flow measurement, and effect of isoprenaline and reactive hyperaemia on, in dog, 562.
—, zero-crossing, in blood flow measurement, and effect of band-pass filter and differentiator on, 561, 562
Fluid flow, in branching vessels, and effects of steady and pulsatile flow on, 596
— —, — — —, downstream velocity distribution in, 597
— —, — — —, wall shear stress distribution in, 599
Fulvine, responses to, effect of phenobarbitone on, in rat, 656, 657, 661, 662

G

GKI. *See* Glucose-potassium-insulin solution
Ganglionic blockade, haemodynamic responses to, effect of phentolamine on, in dog, 749, 751
Gating mechanism, in atrioventricular conducting system, breakdown of, 73
— —, — — — —, variations of refractory periods by, 74, 75
Glucose enzyme activity, of right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
— -potassium-insulin solution, effect on cardiovascular responses to experimental hypoxia, in dog, 175
Granules, in rat atrial preparations, caecholamine content of, 356
—, — — — —, morphological studies of, 356, 357
—, — — — —, protein and enzyme content of, 359

H

Haematology, in chronic polycythaemic patients, 83
Haemodynamic responses, to aminorex, in monkey, 32
— —, to autonomic and ganglionic blockade, and effect of phentolamine on, in dog, 749
— —, to bretylium, in dog, 756
— —, — —, and effect of isoprenaline and autonomic blockade on, in dog, 48
— —, to changes in perfusion pressure, in isolated perfused dog heart, 459
— —, to cholesterol and thiouracil, and to experimental coronary artery disease, in dog, 792
— —, to coronary artery ligation, in cat, 448
— —, to diphenylhydantoin, in conscious dog, 332
— —, — —, effect of propranolol on, 334
— —, to dopamine, in ischaemic heart disease patients, 440
— —, to elevation of aortic blood pressure, and to saline/dextran infusion, and effect of isoproterenol on, in dog, 532
— —, to exercise, after menisectomy, in man, 589
— —, to experimental cardiac hypertrophy, in dog, 523
— —, — — — —, effect of nitroglycerin and dipyridamol on, 524
— —, to experimental coronary embolism, in dog, 64
— —, — — — —, effect of isoproterenol and animophylline on, 65
— —, to intra-aortic balloon pulsation, in dog, 117
— —, to ischaemia, practolol and 6-hydroxydopamine, in dog, 741
— —, to isoprenaline, and effect of dosage on, in conscious monkey, 665
— —, — —, and effect on responses to coronary artery ligation, 452
— —, to mercury embolization of coronary artery, in dog, 616
— —, to noradrenaline, and effect of coronary artery ligation on, 450
— —, to open heart surgery, and effect of isoprenaline on, in man, 289, 301
— —, to pacemaker-induced changes of heart rate, in man, 324
— —, to paired ventricular pacing, and effect of perfusion pressure on, 460
— —, to practolol, and effect of upright exercise on, in heart disease patients, 308
— —, to prostaglandin E_1, and effects of experimental myocardial infarction on, in cat, 152
— —, systemic, to acetazolamide, and effect of route of administration on, in dog, 685
— —, — and coronary, to prostaglandins, in dog, 160, 163
Haemoglobin, effect of hypoxia on, in rat, 799
Heart, blood flow in, autoradiography of, in dog, 182
—, blood pressure in, response to experimental myocardial infarction, in dog, 253
—, contractile element force-velocity relationships as index of contractility of, 843, 846
—, DNA and RNA in, response to abdominal aortic ligation, and effect of digitoxin on, in rat, 485
—, dog, microsomal fraction of, prostaglandin synthetase in, 624
—, effect of aminorex on, in monkey, 32
—, experimental hypertrophy of, and effect on coronary artery and myocardial blood flow and oxygen consumption, in dog, 521
—, — — —, haemodynamic responses to, effect of nitroglycerin and dipyridamol on, 524
—, foetal mouse, method for measuring contraction of, 141
—, histology of, effect of hypoxia on, in rat, 802
—, homotransplantation and denervation of, effect of myofibrillar ATPase activity, in dog, 371
—, left, trans-septal catheterization of, in man, 727
—, location of orifices of, by ultrasound echocardiography, 269
—, mean ejection pressure of, equations for calculating, 568

Heart, pathological responses to mercury embolization of coronary artery, in dog, 616
—, pattern of blood flow in, cinephotographic study of, 16
—, proteins in, response to abdominal aortic ligation, and effect of digitoxin on, in rat, 486
—, rabbit, heat production by, 865, 867
—, rabbit isolated perfused whole, basal metabolism and efficiency of, 866
—, — — — —, mechanical performance of, 864, 865
—, —, oxygen consumption by, 865, 867
—, rat isolated perfused, atrioventricular conduction in, mathematical model of, 07
—, — — —, — — —, — — —, testing against random stimulation, 108
—, — — —, — — —, response to electrical stimulation, 106, 108
—, — — —, — — —, response to long and short stimulation intervals, mathematical model of, 543
—, — — —, lactate-dehydrogenase release from, response to temperature and calcium-magnesium-free perfusion, 385
—, response to acetylstrophanthidin, and effect of aortocaval fistula on, in dog, 639
—, response to experimental myocardial infarction, and effect of exercise on, in dog, 644
—, response to fulvine, effect of phenobarbitone on, in rat, 656, 657, 661
—, response to monocrotaline, in monkey, 509
—, spatial anatomy of, for computer model of vectorcardiogram, 851
—, temperature of, effect of acute coronary ligation on, in dog, 222
—, weight and water content of, response to abdominal aortic ligation, and effect of digitoxin on, in rat, 483
— beat, normal, simulation by computer model of vectorcardiogram, 854
— bypass, effect on vasculature, 673
— cells, rat isolated contracting, transfer of labelled rubidium and noradrenaline ions in, effect of lignocaine on, 811
— contractions, effect of exercise on, 270, 272
— —, relationship to blood pressure, measurement by ultrasound echocardiography, in pig, 278
— disease, congestive, effect on pulmonary blood pressure and cardiac biochemistry, in man, 347
— failure, experimental, response of myofibrillar calcium ATPase activity to, in rat, 466
— —, right-sided congestive experimental production of, in dog, 872
— function, response to intra-aortic balloon pulsation, in dog, 117
— -lung bypass, cardiovascular responses to, effect of experimental myocardial ischaemia on, in dog, 189
— massage, effect on response of lactate-dehydrogenase release from isolated rat heart preparations, 386
— muscle, cat isolated, contractility of, response to hypoxia, 767, 770
— —, contractility of, effect of acute coronary occlusion on, in dog, 315
— —, human, anomalous Z-bands in, 408
— —, rabbit isolated, intra-cellular potentials of, effect of para-oxprenolol on, 231
— rate, dog heart preparations, effect on reactive hyperaemia volume, 91
— —, pacemaker controlled, effect on stroke volume, measurment by electromagnetic flowmeter, in dog, 721
— —, pacemaker-induced changes of, haemodynamic responses to, in man, 324
— —, relationship to baroreflex conduction time, 217
— —, relationship to blood pressure, in man, 214
— —, — — — —, effect of variations in respiration on, 215
— —, response to acetazolamide, and effect of route of administration on, in dog, 685
Heart rate, response to acetylstrophanthidin and vagal stimulation, and effect of digitalis on, in dog, 244
— —, response to autonomic and ganglionic blockade, and effect of phentolamine on, in dog, 749
— —, response to bretylium, in dog, 757
— —, — — —, and effect of isoprenaline and autonomic blockade on, in dog, 48
— —, response to changes in perfusion pressure, in isolated perfused dog heart, 459
— —, response to constriction of descending aorta, in dog, 431
— —, response to coronary artery ligation, in cat, 448
— —, response to denervation, and effect of isoprenaline and propranolol on, in dog, 731
— —, — — —, effect of propranolol and of cocaine on, 733
— —, response to diphenylhydantoin, in conscious dog, 332
— —, response to dopamine, in ischaemic heart disease patients, 440
— —, response to exercise, and relationship to oxygen consumption, after menisectomy, in man, 589
— —, response to experimental coronary embolism, effect of isoproterenol and aminophylline on, in dog, 65
— —, response to experimental hypoxia, and effect of glucose-potassium-insulin solution on, in dog, 175
— —, response to experimental myocardial infarction, and effect of carbochromen on, in dog, 403, 404
— —, response to experimental myocardial ischaemia, in dog, 393
— —, response to heart surgery, and effect of isoprenaline on, in man, 301
— —, response to heterotopic heart transplants, in dog, 688
— —, response to ischaemia, practolol and 6-hydroxydopamine, in dog, 741
— —, response to isoprenaline, 432, 435
— —, — — —, and effect of dosage on, in conscious monkey, 665
— —, — — —, and effect of oxprenolol and paraoxprenolol on, in dog, 232
— —, — — —, and effect on responses to coronary artery ligation, 452
— —, — — —, effect of propranolol on, 234
— —, response to mercury embolization of coronary artery, in dog, 616
— —, response to noradrenaline, and effect of coronary artery ligation on, 450
— —, response to practolol, and effect of upright exercise on, in heart disease patients, 308
— —, response to prostaglandin E_1, and effects of experimental myocardial infarction on, in cat, 152
— —, response to prostaglandins, in dog, 160, 163
— —, response to reserpine, effect of bretylium on, 758
— —, — — —, effect of propranolol on, and relationship to effect of denervation, 735
— —, response to selective coronary hypotension, nitroglycerin and nifedipine, in dog, 779
— —, response to trypanosomal myocarditis, in mouse, 210
— sound, second, in experimental pulmonary embolism, in dog, 56
— surgery, haemodynamic responses to, and effect of isoprenaline on, in man, 298, 301
— tissue preparations, local refractory periods in, and response to premature stimulation, 71
— — —, — — — —, effect of abnormal false tendons on, 73, 74, 75
— — —, — — — —, unidirectional block in, 76
— transplants, heterotopic, electrocardiographic response to, in dog, 688
— weight, and relationship to body weight, effect of hypoxia on, in rat, 799
Heat production, by rabbit isolated perfused whole heart, 865, 867

Hexamethonium, haemodynamic responses to, effect of phentolamine on, in dog, 749, 751
Histamine, response of iliac arterial blood flow to, in rat, 3
β-Hydroxybutyric dehydrogenase activity, of right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
Hydroxycorticosteroids, in urine, in myocardial infarction, in man, 651
6-Hydroxydopamine, effect on heart responses to acute experimental ischaemia, in dog, 741, 742
o-2-Hydroxy-3(tert-butylamino)propoxybenzonitrile, effect on cardiovascular responses to right stellate ganglion stimulation, in dog, 26
Hyperaemia, reactive, effect on electromagnetic and Doppler flowmeter measurement of blood flow, in dog, 562
—, —, in dog heart preparations, response to heart rate variations, 91
—, —, — — — —, response to propranolol, 92
—, —, myocardial, effect of prostaglandins on, in dog, 164
Hyperkalaemia, response of electrocardiogram to, in dog, 503
Hypotension, reflex response to, in dog, 232
—, selective coronary, haemodynamic responses to, in dog, 779
—, — —, response of regional myocardial rubidium clearance to, 780
Hypoxia, effect on contractility of cat isolated papillary muscle, 767, 770
—, experimental, cardiovascular responses to, and effect of glucose-potassium–insulin solution on, in dog, 175
—, intermittent altitude, effect on cardiac blood pressure, and on pulmonary arteries, 800
—, — —, effect on heart and body weight, and on blood biochemistry, in rat, 799
—, — —, histological effects on heart, 802

I

Immunofluorescence and hormonal studies in myocardial infarction, in man, 650
Infarction, myocardial, effect on serum CPK isoenzymes, in dog and man, 416
—, —, experimental, cardiac responses to, and effect of exercise on, in dog, 644
—, —, —, effect on haemodynamic responses to prostaglandin E_2, in cat, 152
—, —, —, electrocardiographic responses to, in monkey, 376
—, —, —, haemodynamic responses to, 377, 448
—, —, —, left ventricular responses to, in dog, 315
—, —, —, — — — —, effect of reserpine and propranolol on, 318
—, —, —, response of pulmonary arterial blood pressure to, 255
—, —, —, response of right atrial and left ventricular blood pressure to, in dog, 253
—, —, —, responses to, and effect of carbochromen on, in dog, 403, 404
—, —, immunofluorescence and hormonal studies of, in man, 650
—, —, simulation by computer model of vectorcardiogram, 855
Injection, intramuscular, effect on serum CPK isoenzymes, in dog and man, 416
Injection-thermistor-catheter, for thermal dilution detection, 135
Innervation, of guinea pig atrium vasculature, 96
Instruments and techniques, 115–147, 282–296, 412–428, 557–576, 703–728, 859–874
Insulin, plus glucose and potassium, effect on cardiovascular responses to experimental hypoxia, in dog, 175
Integrator for aortic and pulmonary artery blood flow signals, 572
Intra-atrial and intraventricular conduction responses to stimulation intervals, 547
Iodine, protein-bound, in blood, in myocardial infarction, in man, 651
Ischaemia, effect on myocardial blood flow, in dog, 182
—, myocardial, experimental, cardiovascular responses to, in dog, 393
—, —, —, effect on cardiovascular responses to heart-lung bypass, in dog, 189
—, —, —, effect on left ventricular blood flow, 394
—, —, —, effect on response of blood pressure to paired ventricular pacing, 460
—, —, —, response of heart and body temperature to, in dog, 222
—, —, —, response of heart rate to, in isolated perfused dog heart, 459
—, —, —, responses to, and effect of practolol and 6-hydroxydopamine on, in dog, 741
—, —, —, responses to, effect of practolol on, in dog, 168
Isoprenaline, effect on electromagnetic and Doppler flowmeter measurement of blood flow, in dog, 562
—, effect on haemodynamic responses to bretylium, in dog, 48
—, effect on haemodynamic responses to open heart surgery, in man, 298, 301
—, effect on response of blood pressure and heart rate to denervation, in dog, 731
—, haemodynamic responses to, and effect of dosage on, in conscious monkey, 665
—, — — —, and effect of oxprenolol and para-oxprenolol on, in dog, 232
—, — — —, and effect on responses to coronary artery ligation, in cat, 452
—, — — —, effect of practolol and *o*-practolol on, 232
—, — — —, effect of propranolol on, 234
—, heart responses to, minimum effective dose for, 735
—, intravenous, responses to, and effect of aortic constriction on, in dog, 432, 435
—, responses to, effect of propranolol on, influence of reserpine-induced catecholamine depletion, 734
Isoproterenol, effect on blood flow, measurement by electromagnetic flowmeter, and comparison with dye dilution measurement, in dog, 293
— effect on haemodynamic responses to elevation of aortic blood pressure and to saline/dextran infusion, in dog 532
—, effect on haemodynamic responses to experimental coronary embolism, in dog, 65

K

K01366. *See* *o*-2-Hydroxy-3(tert-butylamino)propoxy-benzonitrile
Krypton clearance, myocardial, effect of experimental coronary artery disease on, in dog, 793

L

LB 46. *See* Pindolol
Lactate dehydrogenase activity, of right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
— — release from isolated rat heart preparations, effect of heart massage on , 386
— — — — — — — — —, response to calcium-magnesium-free perfusion, effect of strontium perfusion on, 386
— — — — — — — — —, response to temperature and calcium-magnesium-free perfusion, 385
Lignocaine, effect on transfer of labelled rubidium and noradrenaline ions, in isolated contracting rat heart cells, 811
Liver, response to fulvine, effect of phenobarbitone on, in rat, 656, 657

Lung, distribution of thermal indicator in, 134
—, effect of aminorex on, in monkey, 32
—, experimental embolism in, second heart sound in, in dog, 56
—, response to fulvine, effect of phenobarbitone on, in rat, 656, 658, 662
—, responses to monocrotaline, in monkey, 510, 511
— artery, occlusion of, production of right-sided congestive heart failure by, in dog, 872
— blood flow, and effect of venesection on, in chronic polycythaemic patients, 85
— function, in chronic polycythaemic patients, 83
— oedema, thermodilution measurement of cardiac output in, reliability of, 419
— valve allografts, uptake of proline by, 249
— — homografts, acid phosphatase and succinic dehydrogenase activity in, effect of storage on, in man, 814
— vasculature, effect of aminorex on, 34
— —, histology of, effect of hypoxia on, in rat, 800

M

Magnesium-free perfusion, effect on lactate-dehydrogenase release from isolated rat heart preparations, 385, 386
Manometer, catheter tip in left ventricular catheterization, in man, 726
Mean injection pressure, equations for calculating, 568
Meperidine, intramuscular, effect on serum CPK isoenzymes, in man, 416
Mercury embolization of coronary artery, haemodynamic responses to, in dog, 616
— strain gauge, in measurement of systolic blood pressure in leg, in man, 283
Metabolism, myocardial, response to dopamine, in ischaemic heart disease patients, 441
Microspheres, radioactive, use in mapping response of left ventricular blood flow to experimental myocardial ischaemia, 393
Monoamine oxidase, effect of heart disease on, in man, 347
— — activity, of right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
Monocrotaline, responses to, in monkey, 509, 510
Morphine, intramuscular, effect on serum CPK isoenzymes, in man, 416
Muscle, heart, human, anomalous Z-bands in, 408
—, —, rabbit isolated, intra-cellular potentials of, effect of para-oxprenolol on, 231
—, papillary, cat isolated, contractility of, response to hypoxia, 767, 770
—, —, right atrial and mitral, histochemistry of, and effect of clinical condition on, in man, 41
—, —, — — — —, morphometry of, and effect of clinical condition on, in man, 40
—, pulmonary, response to monocrotaline, in monkey, 510, 511
Myocarditis, trypanosomal, cardiovascular responses to, in mouse, 205, 210
—, —, response of heart/body weight ratio to, in mouse, 203, 210
Myofibrillar ATPase activity, response to cardiac denervation and homotransplantation, in dog, 371
Myosin light chains, electrophoretic mobility of, response of myofibrillar calcium ATPase activity to, in rat, 467

N

Nemaline bodies, in human heart muscle, 408
Nerve, frog sciatic, preparations of, response to procaine and para-oxprenolol, 230
Nifedipine, effect on response of regional myocardial rubidium clearance to selective coronary hypotension, 784
—, haemodynamic responses to, in dog, 779
Nitroglycerine, effect on haemodynamic responses to experimental cardiac hypertrophy, in dog, 524
—, effect on response of regional myocardial rubidium clearance to selective coronary hypotension, 782
—, haemodynamic responses to, in dog, 779
—, induction of hypotesion by, reflex response to, in dog, 232
Noradrenaline, blood and urine, in myocardial infarction, in man, 651
—, coronary venous blood, response to right stellate ganglion stimulation, effect of propranolol, pindolol and oxprenolol on, 27
—, distribution in rat atrial preparations, 365
—, haemodynamic responses to, and effect on responses to coronary artery ligation, in cat, 450
—, in granules of rat atrial preparations, 366
—, labelled, transfer in isolated contracting rat heart cells, effect of lignocaine on, 811
—, myocardial, effect of heart disease on, in man, 347
—, plasma, effect of tilting on, in man, 823
—, release from isolated perfused rabbit ear arteries, and effect of electrical stimulation on, 425
—, response of iliac arterial blood flow to, in rat, 3

O

Oedema, pulmonary, thermodilution measurement of cardiac output in, reliability of, 419
Ouabain, response of ATPase activity of dog heart fractions to, 478
Oxprenolol, effect on cardiovascular responses to right stellate ganglion stimulation, in dog, 26
—, effect on response of coronary venous blood noradrenaline to right stellate ganglion stimulation, 27
— and *p*-oxprenolol, effect on cardiovascular response to isoprenaline, in dog, 232
p-Oxprenolol, effect on isolated rabbit atria intracellular potentials, 231
—, local anaesthetic effect on frog sciatic nerve preparations, comparison with procaine, 230
Oxygen, coronary blood levels in, response to dopamine, in ischaemic heart disease patients, 441
—, coronary vein and sinus, response to experimental myocardial infarction, and effect of carbochromen on, in dog, 403
—, effect on contractility of cat isolated papillary muscle, 769, 770
—, respiratory level of, effect on relationship between heart rate and blood pressure, in man, 215
— consumption, by rabbit isolated perfused whole heart, 865, 867
— —, coronary artery and myocardial, response to experimental cardiac hypertrophy, in dog, 523
— —, myocardial, relationship to coronary blood flow, effect of prostaglandins on, in dog, 164
— —, —, response to experimental myocardial infarction, and effect of carbochromen on, in dog, 403, 404
— —, —, response to heart rate variations, in dog heart preparations, 91
— —, —, response to propranolol, in dog heart preparations, 92
— —, —, response to right stellate ganglion stimulation, and effect of β-adrenoceptor blockade on, in dog, 24
— —, response to exercise, after menisectomy, in man, 589
Oxygenator, for measurement of oxygen consumption by isolated whole heart, 863

P

PUDVM. *See* Pulsed ultrasound Doppler velocity meter
Pacemaker, heart rate changes induced by, haemodynamic responses to, in man, 324

Pacing, paired, in dog heart preparations, effect on reactive hyperaemia volume, 91
—, paired ventricular, haemodynamic responses to, and effect of perfusion pressure on, in isolated perfused dog heart, 460
Parasympathetic blockade, responses to, effect of phentolamine on, in dog, 751
Pentolinium, influence on effect of ventricular expansion on haemodynamic responses to elevation of aortic blood pressure, in dog, 535
Perfusion pressure, haemodynamic responses to, in isolated perfused dog heart, 459
— —, response of myocardial contractility to, 462
Phenobarbitone, effect on responses to fulvine, in rat, 656, 657, 661, 662
Phentolamine, effect on haemodynamic responses to autonomic and ganglionic blockade, in dog, 749, 751
—, haemodynamic responses to, 749–751
Phenylephrine, effect on response of blood pressure to exercise, in man, 214
—, — — — — — — — —, influence of respiratory oxygen level, 215
Phosphatase activities, of right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
Pindolol, effect on cardiovascular responses to right stellate ganglion stimulation, in dog, 24
—, effect on response of coronary venous blood noradrenaline to right stellate ganglion stimulation, 27
Polycythaemia, pulmonary blood flow in, and effect of venesection on, 85
Potassium, intra-coronary infusion of, response of electrocardiogram to, in dog, 503, 504
—, plus glucose and insulin, effect on cardiovascular responses to experimental hypoxia, in dog, 175
— chloride, response of ATPase activity of dog heart fractions to, 479
Potentials, action, of atrioventricular conducting system, effect of abnormal false tendons on, 73
—, —, — — — —, variations according to region, and response to premature stimulation, 71
—, —, in Wenckebach atrioventricular block, 697
Practolol, effect on cardiovascular responses to right stellate ganglion stimulation, in dog, 26
—, effect on experimental ischaemia, in dog, 168
—, effect on heart rate and on response to acute experimental ischaemia, in dog, 741
—, effect on ventricular function in experimental ischaemia, and comparison with propranolol, 169
—, haemodynamic responses to, and effect of upright exercise on, in heart disease patients, 308
—, and *o*-practolol, effect on cardiovascular responses to isoprenaline, in dog, 233
Pressure pulse amplitude, aortic/iliac junction, response to occlusion of aortic central branch, 8
Procaine, local anaesthetic effect on frog sciatic nerve preparations, comparison with para-oxprenolol, 230
Prolactin, response of arterial blood pressure to, in rabbit, 586
Proline, uptake by aortic and pulmonary allografts, 249
Propranolol, effect on blood flow, measurement by electromagnetic flow meter, and comparison with dye dilution measurement, in dog, 293
—, effect on cardiovascular responses to isoprenaline, in dog, 234
—, — — — — to right stellate ganglion stimulation, in dog, 24
—, effect on haemodynamic responses to diphenylhydantoin, in conscious dog, 334
—, effect on left ventricular responses, to acute coronary occlusion, in dog, 318
—, — — — — —, to acute metabolic acidosis, 338
Propranolol, effect on reactive hyperaemia, in dog heart preparations, 92
—, effect on response of blood pressure and heart rate to denervation, in dog, 733
—, effect on response of coronary venous blood noradrenaline to right stellate ganglion stimulation, 27
—, effect on responses to isoprenaline, influence of reserpine-induced catecholamine depletion, 734
—, effect on responses to reserpine-induced catecholamine depletion, 735
—, haemodynamic responses to, effect of phentolamine on, in dog, 749, 751
—, heart responses to, minimum effective dose for, 735
—, influence on effect of glucose-potassium-insulin solution on cardiovascular responses to experimental hypoxia, in dog, 176
—, influence on effect of isoprenaline on response of blood pressure and heart rate to denervation, 731
Prostaglandin E_1, haemodynamic responses to, and effects of experimental myocardial infarction on, in cat, 152
— synthetase, in microsomal fraction of dog heart, response to aromatic compounds, 624
Prostaglandins, effect on relationship between coronary blood flow and myocardial oxygen consumption, and on myocardial reactive hyperaemia, 164
—, haemodynamic responses to, in dog, 160, 163
Protein, in granules of rat atrial preparations, 359
— -bound iodine, in blood, in myocardial infarction, in man, 651
— synthesis by aortic and pulmonary allografts, 249
Proteins, heart, response to abdominal aortic ligation, and effect of digitoxin on, in rat, 486
Pulsed ultrasound Doppler velocity meter, for transcutaneous measurements, 703

R

RNA, heart, response to abdominal aortic ligation, and effect of digitoxin on, in rat, 485
Radioactive microspheres, use in mapping of response of left ventricular blood flow to experimental myocardial ischaemia, in dog, 393
β-Receptor blockade, cardiospecificity of, 234
— —, — —, validity of method of determination of, 237
— —, effect of oxprenolol and para-oxprenolol on, in dog, 232
— —, effect of practolol and *o*-practolol on, 232
— —, effect of propranolol on, 234
— —, effect on cardiovascular responses to right stellate ganglion stimulation, in dog, 24
— —, effect on haemodynamic responses to diphenylhydantoin, in conscious dog, 334
— —, effect on haemodynamic responses to ischaemia, in dog, 741
— —, effect on ventricular response to acute metabolic acidosis, 338
— —, influence on effect of glucose-potassium-insulin solution on cardiovascular responses to experimental hypoxia, in dog, 176
— —, responses to, effect of phentolamine on, in dog, 751
Refractory periods, local, of atrioventricular conducting system, and response to premature stimulation, 71
— —, —, — — — —, effect of abnormal false tendons on, 73, 74, 75
Reserpine, effect on blood pressure and heart rate, in dog, 733
—, effect on haemodynamic responses to bretylium, in dog, 52
—, effect on left ventricular responses to acute coronary occlusion, in dog, 318
—, haemodynamic responses to, and effect of bretylium on, in dog, 758

Reserpine, responses to, effect of propranolol on, and relationship to effect of denervation, 735
Respiration, variations in, effect on relationship between heart rate and blood pressure, in man, 215
Rubidium, labelled, transfer in isolated contracting rat heart cells, effect of lignocaine on, 811
— clearance, myocardial, regional variations in, effect of nifedipine on, 784
— —, —, — — —, effect of nitroglycerin on, 782
— —, —, — — — effect of selective coronary hypotension on, 781
— —, response to selective coronary hypotension, nitroglycerin and nifedipine, in dog, 779

S

Saline/dextran infusion, haemodynamic responses to, and effect of isoproterenol on, in dog, 532
Sarcolemma, dog heart preparations of, ATPase activity of, response to cyclic AMP, 479
—, — — — —, — — —, response to ouabain, 478
Skin, measurement of blood flow and velocity through, in dog, 706
Sodium azide, response of ATPase activity of dog heart fractions to, 479
— fluoride, response of ATPase activity of dog heart fractions to, 479
Stability of blood flow in heart, 19
Storage in antibiotic medium, effect on acid phosphatase and succinic dehydrogenase activity of aortic and pulmonary valve homografts, in man, 814
— — — —, effect on viability of aortic valve homografts, 818
Strain gauge, mercury in rubber, in measurement of systolic blood pressure, in leg, in man, 283
— —, use in measurement of thoracic aortic blood pressure, and comparison with cineangiography, in man, 263
Stroke volume, measurement by electromagnetic flowmeter, during pacemaker heart rate control, in dog, 721
— —, response to elevation of aortic blood pressure, effects of myocardial contractility and ventricular expansion on, 534
— —, — — — — — — —, and to saline/dextran infusion, and effect of isoproterenol on, in dog, 532
Strontium, effect on response of lactate-dehydrogenase release from isolated rat heart preparations, 386
Succinic dehydrogenase activity, aortic and pulmonary valve homografts, effect of storage on, in man, 815
— — —, right atrial and mitral papillary muscle, and effect of clinical condition on, in man, 41
Surgery, effect on haemodynamic responses to exercise, in man, 589
—, open heart, haemodynamic responses to, and effect of isoprenaline on, in man, 298, 301
Sympathectomy, cardiac, drug-induced, effect on haemodynamic responses to ischaemia, in dog, 741, 742
Sympathetic blockade, effect on big toe blood pressure, in occlusive arterial disease, in man, 578
Sympathomimetic activity, comparison of various β-receptor blocking agents, 234

T

Temperature, effect on release of lactate-dehydrogenase from isolated rat heart preparations, 385
—, heart and body, response to acute coronary ligation, in dog, 222
—, skin, response to sympathetic blockade, relationship to distal blood pressure response, in occlusive arterial disease, in man, 579
Theophylline, response of ATPase activity of dog heart fractions to, 479
Thermodilution determination of cardiac output, 125
— — — — —, in pulmonary oedema, reliability of, 419
Thigh, systolic blood pressure in, measurement by strain gauge, in man, 283
Thiouracil, haemodynamic responses to, in dog, 792
Thoracotomy, effect on serum CPK isoenzymes, in dog, 416
Thyroxine, effect on uptake of leucine and adenosine triphosphate by isolated hypoxic rat atria, 198
Tilting, effect on plasma catecholamines, in man, 823
Toe, systolic blood pressure in, measurement by strain gauge, in man, 284
Transcutaneous measurement of blood flow and velocity, in dog, 706
Transplants, aortic valve, viability of, effect of storage on, in man, 818
—, aortic and pulmonary valve, acid phosphatase and succinic dehydrogenase activity in, effect of storage on, in man, 814
—, heart, heterotopic, electrocardiographic response to, in dog, 688
Tricuspid valve insufficiency, experimental, production of right-sided congestive heart failure by, in dog, 870
Tropomyosin, electrophoretic mobility of, response to experimental heart failure, in rat, 467
Tyrosine hydroxylase, effect of heart disease on, in man, 347

U

Ultrasonic displacement instrument, crystal fabrication for, 715
— — —, electronic design of, 713
Ultrasound echocardiography, in measurement of myocardial contractions, in man, 269
— —, — — — — —, in pig, 278
Urine, catecholamine and hydroxycorticosteroids in, in myocardial infarction, in man, 651

V

Vagal stimulation, response of heart rate and atrioventricular conduction to, and effect of digitalis on, in dog, 244
Valvular function, response to variations of aortic sinus length and root distension, in model, 492
Vascular resistance, coronary and peripheral, response to diphenylhydantoin, in conscious dog, 332
— —, peripheral, response to bretylium, in dog, 757
— —, —, response to isoprenaline, and effect of dosage on, in conscious monkey, 665
— —, —, response to prostaglandin E_1, and effects of experimental myocardial infarction on, in cat, 152
— —, —, response to prostaglandins, in dog, 160, 163
— —, pulmonary, response to open heart surgery, and effect of isoprenaline on, in man, 302
— —, response to dopamine, in ischaemic heart disease patients, 441
— —, response to experimental coronary embolism, effect of isoproterenol and aminophylline on, in dog, 65
— —, systemic, response to open heart surgery, and effect of isoprenaline on, in man, 301
Vasculature, collateral, competition between, 670
—, pulmonary, response to monocrotaline, in monkey, 511
Vasodilation, bretylium-induced, mechanism of, 51
Vectorcardiogram, computer model of, in simulating abnormal conduction in ventricles, 849
Velocity distribution, in aortic blood flow, in dog, 605, 608, 610–611
— —, fluid flow, in branching vessels, 597
Venesection, effect on pulmonary blood flow, in chronic polycythaemic patients, 85
Ventricle, left, maximum acceleration of blood from, as index of contractility, 845, 846

Ventricle, left, maximum rate of increase of blood pressure in, as index of contractility, 838, 846
—, —, trans-septal catheterization of, in man, 727
—, right, response to fulvine, effect of phenobarbitone on, in rat, 656, 657, 661
Ventricular contraction and relaxation, response to experimental pulmonary embolism, in dog, 57
— contractions, measurement by ultrasound echocardiography, in man, 269
— —, relationship to blood pressure, measurement by ultrasound echocardiography, in pig, 278
— expansion, effect on haemodynamic responses to elevation of aortic blood pressure,534
— fibrillation, electrical control of, effect of electrode positions on effectiveness of, in dog, 631
— function, in experimental ischaemia, effect of practolol on, and comparison with propranolol, in dog, 169
— —, left, response to acute coronary occlusion, in dog, 315
— —, —, — — — — —, effect of reserpine and propranolol on, 318
— —, —, response to acute metabolic acidosis, 337
— —, —, — — — — —, effect of propranolol on, 338
— —, response to heart-lung bypass, effect of experimental myocardial ischaemia on, in dog, 189
— —, response to pacemaker-induced changes of heart rate, in man, 324
Ventricular function, response to practolol, and effect of upright exercise on, in heart disease patients, 308
— —, response to trypanosomal myocarditis, in mouse, 205, 210
— —, right and left, response to open heart surgery, and effect of isoprenaline on, in man, 298
— myofibrils, ATPase activity of, response to heart homotransplantation and denervation, in dog, 371
— response to hyperkalaemia, in dog, 504
Vortex pattern of blood flow in heart, 16

W

Weight, body, response to aminorex, in monkey, 32
—, heart and body, effect of hypoxia on, in rat, 799
—, — — —, response to experimental cardiac hypertrophy, in dog, 521
Wenckebach atrioventricular block, mechanism of, 696
— phenomenon, in atrioventricular conduction, 548

X

Xylocaine, effect on big toe blood pressure, in occlusive arterial disease, in man, 578

Z

Z-bands, anomalous, in human heart muscle, 408